Number  1 "20020087564" USPAT; 2004/04/ US-PGPUB; 17:28  1 BM_TDB USPAT; 2004/04/ US-PGPUB; 17:28  1 BM_TDB USPAT; US-PGPUB; 17:50  1 USPAT; US-PGPUB; 17:28  1 USPAT; US-PGPUB;	712
2 2 6377959.pn. or 6199069.pn. IBM_TDB USPAT; US-PGPUB; ISM_TDB USPAT; US-PGPUB; I7:50	/12
4670 (two with (identical or cop\$3 or "same") uspAT; ush (tree\$2 or database\$2 or data or pointer\$2 or index\$3)) and ((search\$3 or read\$3) with (first or second) with (tree or database or data or pointer or index))	
with (tree\$2 or database\$2 or data or pointer\$2 or index\$3)) and ((search\$3 or read\$3) with (first or second) with (tree or database or data or pointer or index))	
or database or data or pointer or index))	12
second) with (tree or database or data or pointer or index)) and (@ad<20010103)	
(two with (identical or cop\$3 or "same") with (tree\$2 or pointer\$2 or index\$3)) and ((search\$3 or read\$3) with (first or second) with (tree or pointer or index)) and ((updat\$3 or writ\$3) with (first or second) with (tree or pointer or index))	12
and (@ad<20010103) two with (identical or cop\$3) with (tree USPAT; US-PGPUB; IBM TDB	'12
(two with (identical or cop\$3) with (tree or database)) and ((search\$3 or read\$3) with (first or second) with (tree or database)) and ((updat\$3 or writ\$3) with (first or second) with (tree or database))	12
- 202 (database with (btree or (b adj tree))) USPAT; US-PGPUB; US-PGPUB; 1BM TDB	'12
- 101 ((database with (btree or (b adj tree)))) USPAT; 2002/12/ and ((fast\$3 or eas\$3) with (access\$3 or US-PGPUB; quer\$4 or search\$3 or updat\$3)) IBM_TDB	'12
- 74 (((database with (btree or (b adj tree)))) and ((fast\$3 or eas\$3) with (access\$3 or quer\$4 or search\$3 or updat\$3))) and 707/\$.ccls. not (internation\$).as.	'12
- 170 ((updat\$3 or writ\$3) with lock\$3 with USPAT; 2002/12/database) and 707/\$.ccls. not US-PGPUB; 10:54 (international\$).as.	
- 41 (((updat\$3 or writ\$3) with lock\$3 with database) same (releas\$3 with lock\$3)) US-PGPUB; 10:55 and 707/\$.ccls. not (international\$).as. IBM_TDB	′12
- 592 (two or mulitiple) with (identical or USPAT; 2003/05/copies) with index US-PGPUB; 18:09	/29
- 8 ((two or mulitiple) with (identical or USPAT; 2003/05/copies) with index) and serializ\$7 US-PGPUB; 18:09	/29
- 32 ((two or mulitiple) with (identical or USPAT; 2003/05/copies) with index) and 707/\$.ccls. and US-PGPUB; 18:12 (@ad<20010103)	/29
- 0 (serializ\$3 with data with structure with USPAT; 2003/05/retriev\$3 with updat\$3) and US-PGPUB; 20:43 (@ad<20010103)	/23
- 73 ((two or mulitiple) with (identical or USPAT; 2003/05/copies) with index) and synchroniz\$7 US-PGPUB; 18:13	/29
- 1081 (two or mulitiple) with (identical or USPAT; 2003/05/copies or tree) with (index or pointer) US-PGPUB; 20:55	/23
- 23 ((two or mulitiple) with (identical or USPAT; 2003/05/copies or tree) with (index or pointer)) US-PGPUB; 18:16 and serializ\$7	/29

	170862	((read\$3 or retriev\$3) same (writ\$3 or	USPAT;	2003/05/23
_	1/0002			21:13
		updat\$3 or delet\$3)) and (@ad<20010103)	US-PGPUB;	21:13
			IBM_TDB	
-	12672	\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	USPAT;	2003/05/23
		copy) same (index or pointer)) and	US-PGPUB;	21:20
		(@ad<20010103)	IBM_TDB	
-	5611	((two same (tree or table or database or	USPAT;	2003/05/23
		copy) same (index or pointer)) and	US-PGPUB;	21:20
		(@ad<20010103)) and (((read\$3 or	IBM TDB	
		retriev\$3) same (writ\$3 or updat\$3 or	_	
		delet\$3)) and (@ad<20010103))		
_	3002	1	USPAT;	2003/05/23
		copy) with (index or pointer)) and	US-PGPUB;	21:20
		(@ad<20010103)	IBM TDB	
1_	1483		USPAT;	2003/05/23
]	1 103	copy) with (index or pointer)) and	US-PGPUB;	21:21
İ		(@ad<20010103)) and (((read\$3 or	IBM TDB	21.21
			1 DM_1 DB	
		retriev\$3) same (writ\$3 or updat\$3 or		
	1.150	delet\$3)) and (@ad<20010103))		0004/04/10
-	1153	(data adj store).ab. and (data adj store)	USPAT;	2004/04/12
			US-PGPUB;	15:27
			IBM_TDB	
-	1	"20020004799"	USPAT;	2004/04/12
			US-PGPUB;	16:32
			IBM TDB	